

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)												
			HWT	33.0	31.0	37.0	33.0	32.0	31.0	32.0	33.00	34.0	32.0	33.0	34.0
			CWT	28.0	27.0	32.0	28.0	27.0	28.0	29.0	30.00	31.0	28.0	29.0	30.0
			WBT	23.0	23.0	24.0	24.0	24.0	25.0	25.0	25.00	25.0	25.0	25.0	25.0
TXS 0912C-350	260		207.48	199.83	341.55	179.96	143.70	211.00	270.39	331.91	396.75	173.76	219.65	266.37	
TXS 0912D-400	296		236.28	227.57	388.95	204.94	163.64	240.29	307.92	377.98	451.81	197.87	250.14	303.34	
TXS 0912E-450	330		263.77	254.04	434.20	228.79	182.68	268.25	343.74	421.96	504.38	220.89	279.25	338.63	
TXS 0912F-500	355		283.40	272.96	466.53	245.82	196.28	288.22	369.33	453.37	541.93	237.34	300.03	363.84	
TXS 1110D-450	334		267.04	257.20	439.59	231.63	184.95	271.58	348.00	427.20	510.64	223.64	282.71	342.83	
TXS 1110E-500	372		297.15	286.19	489.15	257.74	205.80	302.19	387.24	475.36	568.21	248.85	314.58	381.49	
TXS 1110G-550	425		339.04	326.54	558.11	294.07	234.81	344.79	441.83	542.37	648.31	283.93	358.93	435.26	
TXS 1110H-650	471		376.35	362.47	619.52	326.43	260.65	382.73	490.45	602.05	719.65	315.17	398.43	483.16	
TXS 1112E-550	411		327.91	315.82	539.79	284.42	227.10	333.48	427.33	524.57	627.03	274.61	347.15	420.98	
TXS 1112F-600	443		353.44	340.41	581.81	306.56	244.78	359.44	460.59	565.41	675.84	295.99	374.18	453.75	
TXS 1112G-650	469		374.38	360.58	616.29	324.73	259.29	380.74	487.89	598.91	715.89	313.53	396.35	480.64	
TXS 1112H-700	520		415.62	400.29	684.17	360.49	287.84	422.67	541.62	664.88	794.74	348.06	440.00	533.58	
TXS 1112I-750	559		446.38	429.92	734.81	387.18	309.15	453.96	581.71	714.09	853.57	373.82	472.57	573.07	
TXS 1114E-600	445		355.40	342.30	585.04	308.27	246.14	361.43	463.15	568.55	679.60	297.63	376.25	456.27	
TXS 1114F-650	479		382.24	368.14	629.22	331.54	264.73	388.73	498.12	611.48	730.91	320.11	404.66	490.72	
TXS 1114H-750	574		458.16	441.27	754.20	397.40	317.31	465.94	597.07	732.93	876.09	383.69	485.04	588.19	
TXS 1114I-800	615		490.89	472.79	808.07	425.78	339.97	499.22	639.71	785.29	938.67	411.09	519.69	630.21	
TXS 1210D-500	358		286.02	275.48	470.84	248.09	198.09	290.88	372.74	457.56	546.93	239.53	302.80	367.20	
TXS 1210E-550	398		318.09	306.37	523.63	275.91	220.30	323.49	414.53	508.87	608.26	266.39	336.76	408.38	
TXS 1210G-600	454		362.60	349.23	596.90	314.51	251.13	368.76	472.54	580.06	693.37	303.66	383.88	465.51	
TXS 1210H-650	504		402.53	387.68	662.62	349.14	278.78	409.36	524.57	643.93	769.71	337.10	426.14	516.77	
TXS 1210I-700	541		431.98	416.05	711.10	374.69	299.18	439.31	562.95	691.05	826.03	361.76	457.33	554.58	
TXS 1212E-600	445		355.40	342.30	585.04	308.27	246.14	361.43	463.15	568.55	679.60	297.63	376.25	456.27	
TXS 1212F-650	478		381.58	367.51	628.14	330.97	264.27	388.06	497.27	610.43	729.66	319.56	403.97	489.88	
TXS 1212H-750	564		450.31	433.70	741.27	390.58	311.87	457.95	586.83	720.37	861.08	377.11	476.73	578.11	
TXS 1212I-800	607		484.34	466.48	797.30	420.10	335.44	492.56	631.18	774.82	926.16	405.61	512.76	621.81	
TXS 1212J-850	648		517.07	498.00	851.17	448.49	358.11	525.84	673.83	827.17	988.73	433.02	547.40	663.82	
TXS 1312E-650	492		392.71	378.23	646.46	340.63	271.98	399.38	511.77	628.23	750.94	328.88	415.75	504.17	
TXS 1312F-700	525		418.89	403.44	689.56	363.33	290.11	426.00	545.89	670.11	801.00	350.80	443.47	537.78	
TXS 1312G-750	557		445.07	428.66	732.65	386.04	308.24	452.63	580.01	711.99	851.06	372.73	471.18	571.39	
TXS 1312H-800	619		494.16	475.94	813.46	428.62	342.24	502.55	643.98	790.52	944.93	413.83	523.15	634.41	
TXS 1312I-850	665		530.81	511.24	873.80	460.41	367.63	539.82	691.74	849.16	1015.02	444.53	561.96	681.47	
TXS 1312J-900	710		566.81	545.91	933.05	491.64	392.56	576.43	738.66	906.74	1083.85	474.68	600.07	727.68	
TXS 1314F-750	574		458.16	441.27	754.20	397.40	317.31	465.94	597.07	732.93	876.09	383.69	485.04	588.19	
TXS 1314G-800	607		484.34	466.48	797.30	420.10	335.44	492.56	631.18	774.82	926.16	405.61	512.76	621.81	
TXS 1314H-850	675		538.66	518.80	886.73	467.22	373.06	547.81	701.98	861.72	1030.04	451.11	570.27	691.55	
TXS 1314I-950	725		578.59	557.26	952.45	501.85	400.72	588.41	754.01	925.59	1106.38	484.54	612.54	742.81	
TXS 1314J-1000	779		621.79	598.86	1023.56	539.32	430.63	632.34	810.30	994.70	1188.98	520.72	658.27	798.26	
TXS 1314K-1100	830		663.02	638.58	1091.44	575.09	459.19	674.28	864.04	1060.66	1267.83	555.25	701.92	851.20	
TXS 1316G-900	656		523.61	504.31	861.94	454.17	362.64	532.50	682.36	837.64	1001.25	438.50	554.33	672.22	
TXS 1316H-950	721		575.97	554.74	948.14	499.58	398.90	585.75	750.60	921.40	1101.38	482.35	609.77	739.44	
TXS 1316I-1000	779		621.79	598.86	1023.56	539.32	430.63	632.34	810.30	994.70	1188.98	520.72	658.27	798.26	
TXS 1316J-1100	830		662.37	637.95	1090.36	574.52	458.74	673.61	863.19	1059.61	1266.58	554.70	701.23	850.36	
TXS 1316K-1250	889		709.49	683.33	1167.93	615.40	491.38	721.54	924.60	1135.00	1356.69	594.17	751.12	910.86	

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)											
		HWT	35.0	33.0	34.0	35.0	36.0	34.0	35.0	36.00	37.0	32.0	33.0	34.0
		CWT	31.0	28.0	29.0	30.0	31.0	28.0	29.0	30.00	31.0	29.0	30.0	31.0
		WBT	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.00	25.0	26.0	26.0	26.0
TXS 0912C-350	260		317.29	151.08	189.04	228.98	270.23	136.07	168.63	202.90	238.48	222.12	283.77	348.63
TXS 0912D-400	296		361.33	172.05	215.28	260.76	307.74	154.95	192.03	231.21	271.58	252.95	323.16	397.02
TXS 0912E-450	330		403.36	192.07	240.33	291.08	343.36	172.98	214.37	257.60	302.45	282.38	360.75	443.22
TXS 0912F-500	355		433.39	206.37	258.22	312.75	368.92	185.86	230.33	276.80	324.96	303.40	387.61	476.21
TXS 1110D-450	334		408.37	194.45	243.31	294.70	347.62	175.13	217.03	261.20	306.20	285.88	365.23	448.72
TXS 1110E-500	372		454.41	216.38	270.74	327.92	386.81	194.87	241.50	290.50	340.72	318.12	406.41	499.31
TXS 1110G-550	425		518.47	246.88	308.91	374.15	441.34	222.34	275.55	331.03	388.75	362.96	463.70	569.69
TXS 1110H-650	471		575.52	274.04	342.90	415.32	489.91	246.81	305.87	367.70	431.53	402.90	514.72	632.38
TXS 1112E-550	411		501.45	238.78	298.77	361.87	426.86	215.05	266.50	320.45	375.99	351.05	448.48	551.00
TXS 1112F-600	443		540.49	257.36	322.03	390.04	460.09	231.79	287.25	345.20	405.26	378.38	483.39	593.89
TXS 1112G-650	469		572.52	272.61	341.11	413.15	487.35	245.52	304.27	365.58	429.28	400.80	512.04	629.08
TXS 1112H-700	520		635.57	302.64	378.68	458.66	541.03	272.56	337.78	406.37	476.56	444.94	568.44	698.37
TXS 1112I-750	559		682.62	325.04	406.71	492.60	581.07	292.74	362.79	436.42	511.83	477.87	610.51	750.06
TXS 1114E-600	445		543.49	258.79	323.82	392.20	462.64	233.08	288.85	347.30	407.51	380.48	486.08	597.19
TXS 1114F-650	479		584.53	278.33	348.27	421.82	497.58	250.67	310.66	373.56	438.28	409.21	522.78	642.28
TXS 1114H-750	574		700.63	333.62	417.45	505.60	596.41	300.47	372.36	447.50	525.34	490.49	626.62	769.85
TXS 1114I-800	615		750.68	357.45	447.27	541.72	639.01	321.93	398.96	479.39	562.86	525.52	671.38	824.84
TXS 1210D-500	358		437.39	208.27	260.61	315.64	372.33	187.58	232.46	279.35	327.96	306.20	391.19	480.61
TXS 1210E-550	398		486.44	231.63	289.83	351.03	414.08	208.61	258.53	310.74	364.74	340.54	435.05	534.50
TXS 1210G-600	454		554.50	264.03	330.38	400.15	472.02	237.80	294.70	354.15	415.77	388.18	495.93	609.28
TXS 1210H-650	504		615.56	293.11	366.76	444.21	523.99	263.98	327.15	393.43	461.55	430.93	550.53	676.37
TXS 1210I-700	541		660.60	314.55	393.59	476.71	562.33	283.30	351.08	422.31	495.32	462.46	590.81	725.86
TXS 1212E-600	445		543.49	258.79	323.82	392.20	462.64	233.08	288.85	347.01	407.51	380.48	486.08	597.19
TXS 1212F-650	478		583.53	277.86	347.67	421.10	496.72	250.24	310.12	373.15	437.53	408.50	521.89	641.18
TXS 1212H-750	564		688.62	327.90	410.29	496.94	586.19	295.31	365.98	440.33	516.33	482.08	615.88	756.66
TXS 1212I-800	607		740.67	352.68	441.30	534.50	630.49	317.63	393.64	473.10	555.36	518.51	662.43	813.85
TXS 1212J-850	648		790.71	376.51	471.12	570.61	673.09	339.10	420.24	505.40	592.88	553.55	707.19	868.84
TXS 1312E-650	492		600.54	285.96	357.81	433.38	511.21	257.54	319.17	383.48	450.29	420.42	537.10	659.88
TXS 1312F-700	525		640.58	305.02	381.67	462.27	545.29	274.71	340.44	409.05	480.31	448.44	572.91	703.87
TXS 1312G-750	557		680.61	324.09	405.52	491.16	579.37	291.88	361.72	434.03	510.33	476.47	608.72	747.86
TXS 1312H-800	619		755.68	359.83	450.25	545.33	643.27	324.07	401.62	482.70	566.62	529.02	675.86	830.34
TXS 1312I-850	665		811.73	386.52	483.64	585.78	690.98	348.11	431.41	518.53	608.64	568.26	725.99	891.93
TXS 1312J-900	710		866.78	412.73	516.44	625.50	737.84	371.72	460.66	554.20	649.92	606.80	775.22	952.42
TXS 1314F-750	574		700.63	333.62	417.45	505.60	596.41	300.47	372.36	447.50	525.34	490.49	626.62	769.85
TXS 1314G-800	607		740.67	352.68	441.30	534.50	630.49	317.63	393.64	472.78	555.36	518.51	662.43	813.85
TXS 1314H-850	675		823.74	392.24	490.80	594.45	701.21	353.26	437.79	526.25	617.65	576.67	736.73	905.13
TXS 1314I-950	725		884.80	421.31	527.18	638.51	753.18	379.44	470.24	565.62	663.43	619.41	791.33	972.22
TXS 1314J-1000	779		950.86	452.77	566.54	686.18	809.41	407.77	505.35	607.35	712.96	665.66	850.41	1044.80
TXS 1314K-1100	830		1013.91	482.79	604.11	731.68	863.09	434.82	538.86	647.64	760.24	709.80	906.81	1114.09
TXS 1316G-900	656		800.72	381.28	477.08	577.83	681.61	343.39	425.56	511.95	600.39	560.56	716.14	879.83
TXS 1316H-950	721		880.79	419.41	524.79	635.62	749.77	377.73	468.11	562.80	660.43	616.61	787.75	967.82
TXS 1316I-1000	779		950.86	452.77	566.54	686.18	809.41	407.77	505.35	607.35	712.96	665.66	850.41	1044.80
TXS 1316J-1100	830		1012.91	482.32	603.51	730.96	862.24	434.39	538.33	647.35	759.49	709.10	905.92	1112.99
TXS 1316K-1250	889		1084.98	516.63	646.45	782.96	923.58	465.29	576.63	693.47	813.53	759.55	970.37	1192.17

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)												
			HWT	35.0	33.0	34.0	35.0	36.0	34.0	35.0	36.0	37.0	35.0	36.0	37.0
			CWT	32.0	29.0	30.0	31.0	32.0	29.0	30.0	31.0	32.0	29.0	30.0	31.0
			WBT	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
TXS 0912C-350	260		416.70	182.39	230.85	280.34	333.61	158.70	198.73	240.47	283.42	142.66	177.37	213.29	
TXS 0912D-400	296		474.54	207.70	262.89	319.25	379.91	180.73	226.31	273.85	322.76	162.46	201.98	242.90	
TXS 0912E-450	330		529.75	231.86	293.48	356.39	424.12	201.75	252.64	304.77	360.59	181.36	225.48	271.14	
TXS 0912F-500	355		569.18	249.13	315.32	382.92	455.69	216.77	271.45	327.46	387.43	194.87	242.27	291.33	
TXS 1110D-450	334		536.32	234.74	297.12	360.81	429.38	204.26	255.78	308.55	365.06	183.61	228.28	274.51	
TXS 1110E-500	372		596.79	261.21	330.62	401.49	477.79	227.28	284.62	343.34	406.22	204.32	254.02	305.46	
TXS 1110G-550	425		680.92	298.03	377.22	458.09	545.14	259.32	324.74	391.74	463.48	233.12	289.83	348.52	
TXS 1110H-650	471		755.85	330.82	418.73	508.50	605.13	287.86	360.47	434.84	514.49	258.77	321.72	386.87	
TXS 1112E-550	411		658.57	288.25	364.84	443.05	527.25	250.81	314.08	378.88	448.27	225.47	280.32	337.08	
TXS 1112F-600	443		709.84	310.69	393.24	477.54	568.29	270.34	338.53	408.38	483.17	243.02	302.14	363.32	
TXS 1112G-650	469		751.90	329.10	416.55	505.84	601.97	286.36	358.59	432.58	511.80	257.42	320.04	384.85	
TXS 1112H-700	520		834.72	365.35	462.43	561.56	668.27	317.90	398.09	480.22	568.17	285.77	355.29	427.24	
TXS 1112I-750	559		896.50	392.39	496.65	603.12	717.73	341.43	427.55	515.76	610.22	306.92	381.59	458.86	
TXS 1114E-600	445		713.78	312.41	395.43	480.20	571.45	271.84	340.41	410.64	485.85	244.37	303.82	365.34	
TXS 1114F-650	479		767.68	336.00	425.29	516.45	614.60	292.37	366.12	441.65	522.54	262.82	326.76	392.92	
TXS 1114H-750	574		920.16	402.74	509.76	619.04	736.68	350.44	438.84	529.38	626.33	315.02	391.66	470.97	
TXS 1114I-800	615		985.89	431.51	546.17	663.26	789.30	375.47	470.18	567.19	671.07	337.53	419.64	504.61	
TXS 1210D-500	358		574.44	251.43	318.24	386.46	459.90	218.77	273.96	330.48	391.01	196.67	244.51	294.02	
TXS 1210E-550	398		638.85	279.62	353.92	429.79	511.46	243.30	304.68	367.54	434.85	218.72	271.92	326.99	
TXS 1210G-600	454		728.24	318.74	403.44	489.92	583.03	277.35	347.31	418.96	495.70	249.32	309.97	372.74	
TXS 1210H-650	504		808.43	353.84	447.86	543.87	647.22	307.88	385.55	465.09	550.28	276.77	344.10	413.78	
TXS 1210I-700	541		867.58	379.73	480.63	583.66	694.58	330.41	413.76	499.13	590.54	297.02	369.28	444.06	
TXS 1212E-600	445		713.78	312.41	395.43	480.20	571.45	271.84	340.41	410.64	485.85	244.37	303.82	365.34	
TXS 1212F-650	478		766.36	335.43	424.56	515.57	613.55	291.86	365.49	440.89	521.64	262.37	326.20	392.25	
TXS 1212H-750	564		904.39	395.84	501.02	608.43	724.05	344.43	431.31	520.30	615.59	309.62	384.95	462.90	
TXS 1212I-800	607		972.74	425.76	538.89	654.41	778.77	370.46	463.91	559.63	662.12	333.03	414.04	497.88	
TXS 1212J-850	648		1038.47	454.52	575.30	698.63	831.39	395.49	495.26	597.44	706.86	355.53	442.02	531.52	
TXS 1312E-650	492		788.71	345.21	436.94	530.60	631.44	300.38	376.15	453.75	536.85	270.02	335.71	403.69	
TXS 1312F-700	525		841.29	368.22	466.07	565.98	673.53	320.40	401.22	484.00	572.64	288.02	358.09	430.60	
TXS 1312G-750	557		893.87	391.24	495.20	601.35	715.63	340.43	426.30	514.25	608.43	306.02	380.47	457.51	
TXS 1312H-800	619		992.46	434.39	549.81	667.68	794.56	377.97	473.32	570.97	675.54	339.78	422.43	507.97	
TXS 1312I-850	665		1066.07	466.61	590.59	717.20	853.49	406.01	508.42	613.32	725.65	364.98	453.77	545.65	
TXS 1312J-900	710		1138.37	498.25	630.65	765.84	911.37	433.54	542.90	654.91	774.86	389.73	484.54	582.66	
TXS 1314F-750	574		920.16	402.74	509.76	619.04	736.68	350.44	438.84	529.38	626.33	315.02	391.66	470.97	
TXS 1314G-800	607		972.74	425.76	538.89	654.41	778.77	370.46	463.91	559.63	662.12	333.03	414.04	497.88	
TXS 1314H-850	675		1081.84	473.51	599.33	727.81	866.12	412.01	515.95	622.39	736.38	370.38	460.48	553.72	
TXS 1314I-950	725		1162.03	508.61	643.75	781.76	930.32	442.55	554.19	668.53	790.97	397.83	494.61	594.77	
TXS 1314J-1000	779		1248.79	546.58	691.82	840.12	999.78	475.59	595.56	718.44	850.02	427.53	531.54	639.17	
TXS 1314K-1100	830		1331.60	582.83	737.70	895.84	1066.08	507.13	635.06	766.08	906.39	455.89	566.79	681.56	
TXS 1316G-900	656		1051.61	460.28	582.58	707.47	841.92	400.50	501.53	605.00	715.81	360.03	447.61	538.25	
TXS 1316H-950	721		1156.77	506.31	640.84	778.22	926.11	440.55	551.68	665.50	787.39	396.03	492.37	592.08	
TXS 1316I-1000	779		1248.79	546.58	691.82	840.12	999.78	475.59	595.56	718.44	850.02	427.53	531.54	639.17	
TXS 1316J-1100	830		1330.29	582.25	736.97	894.95	1065.02	506.63	634.43	765.33	905.49	455.44	566.23	680.89	
TXS 1316K-1250	889		1424.93	623.68	789.40	958.62	1140.80	542.68	679.57	819.78	969.92	487.84	606.51	729.33	

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)											
		HWT	38.0	33.0	34.0	35.0	36.0	34.0	35.0	36.0	37.0	35.0	36.0	37.0
		CWT	32.0	30.0	31.0	32.0	33.0	30.0	31.0	32.0	33.0	30.0	31.0	32.0
		WBT	26.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0
TXS 0912C-350	260		250.55	232.80	298.29	365.43	436.98	191.52	242.15	294.44	350.02	166.76	208.58	252.61
TXS 0912D-400	296		285.33	265.11	339.69	416.15	497.63	218.10	275.76	335.30	398.60	189.90	237.53	287.67
TXS 0912E-450	330		317.64	295.95	379.21	464.57	555.52	243.48	307.85	374.31	444.98	211.99	265.17	321.14
TXS 0912F-500	355		341.29	317.98	407.44	499.15	596.88	261.60	330.76	402.18	478.10	227.78	284.91	345.05
TXS 1110D-450	334		321.58	299.63	383.92	470.33	562.42	246.50	311.67	378.96	450.50	214.63	268.46	325.13
TXS 1110E-500	372		357.84	333.41	427.20	523.36	625.83	274.29	346.81	421.68	501.29	238.82	298.73	361.78
TXS 1110G-550	425		408.28	380.41	487.42	597.14	714.05	312.96	395.69	481.13	571.96	272.49	340.84	412.78
TXS 1110H-650	471		453.21	422.27	541.06	662.85	792.62	347.40	439.24	534.07	634.90	302.47	378.34	458.20
TXS 1112E-550	411		394.89	367.92	471.43	577.54	690.61	302.69	382.71	465.34	553.19	263.55	329.65	399.23
TXS 1112F-600	443		425.63	396.56	508.13	622.50	744.38	326.25	412.50	501.56	596.25	284.06	355.31	430.31
TXS 1112G-650	469		450.85	420.06	538.24	659.39	788.49	345.58	436.94	531.28	631.58	300.90	376.37	455.81
TXS 1112H-700	520		500.50	466.33	597.52	732.01	875.33	383.65	485.07	589.80	701.15	334.04	417.82	506.02
TXS 1112I-750	559		537.55	500.84	641.74	786.19	940.12	412.04	520.97	633.45	753.04	358.76	448.75	543.47
TXS 1114E-600	445		427.99	398.77	510.95	625.96	748.51	328.06	414.79	504.35	599.56	285.64	357.29	432.70
TXS 1114F-650	479		460.31	428.88	549.53	673.22	805.03	352.83	446.11	542.43	644.83	307.21	384.26	465.38
TXS 1114H-750	574		551.74	514.06	658.68	806.94	964.93	422.92	534.72	650.17	772.92	368.23	460.59	557.81
TXS 1114I-800	615		591.15	550.78	705.73	864.58	1033.85	453.13	572.92	696.61	828.13	394.53	493.49	597.66
TXS 1210D-500	358		344.44	320.92	411.20	503.76	602.39	264.02	333.82	405.89	482.52	229.88	287.54	348.23
TXS 1210E-550	398		383.06	356.91	457.31	560.25	669.94	293.63	371.25	451.41	536.63	255.66	319.78	387.28
TXS 1210G-600	454		436.66	406.84	521.30	638.64	763.67	334.71	423.19	514.57	611.71	291.43	364.52	441.47
TXS 1210H-650	504		484.74	451.64	578.70	708.96	847.76	371.56	469.79	571.22	679.06	323.52	404.66	490.08
TXS 1210I-700	541		520.21	484.69	621.04	760.83	909.79	398.75	504.17	613.02	728.75	347.19	434.27	525.94
TXS 1212E-600	445		427.99	398.77	510.95	625.96	748.51	328.06	414.79	504.35	599.56	285.64	357.29	432.70
TXS 1212F-650	478		459.52	428.14	548.59	672.07	803.65	352.23	445.35	541.50	643.73	306.68	383.61	464.58
TXS 1212H-750	564		542.28	505.25	647.39	793.11	948.39	415.67	525.56	639.03	759.67	361.92	452.69	548.25
TXS 1212I-800	607		583.26	543.44	696.32	853.06	1020.07	447.08	565.28	687.33	817.08	389.27	486.91	589.69
TXS 1212J-850	648		622.67	580.16	743.37	910.69	1088.99	477.29	603.47	733.77	872.29	415.57	519.81	629.53
TXS 1312E-650	492		472.92	440.63	564.58	691.67	827.08	362.50	458.33	557.29	662.50	315.63	394.79	478.13
TXS 1312F-700	525		504.44	470.00	602.22	737.78	882.22	386.67	488.89	594.44	706.67	336.67	421.11	510.00
TXS 1312G-750	557		535.97	499.38	639.86	783.89	937.36	410.83	519.44	631.60	750.83	357.71	447.43	541.88
TXS 1312H-800	619		595.09	554.45	710.43	870.35	1040.75	456.15	576.74	701.26	833.65	397.16	496.78	601.64
TXS 1312I-850	665		639.23	595.58	763.13	934.90	1117.94	489.98	619.51	753.27	895.48	426.62	533.63	646.27
TXS 1312J-900	710		682.58	635.97	814.88	998.31	1193.76	523.21	661.53	804.36	956.21	455.55	569.82	690.09
TXS 1314F-750	574		551.74	514.06	658.68	806.94	964.93	422.92	534.72	650.17	772.92	368.23	460.59	557.81
TXS 1314G-800	607		583.26	543.44	696.32	853.06	1020.07	447.08	565.28	687.33	817.08	389.27	486.91	589.69
TXS 1314H-850	675		648.68	604.39	774.42	948.74	1134.48	497.23	628.68	764.42	908.73	432.93	541.52	655.83
TXS 1314I-950	725		696.76	649.19	831.82	1019.06	1218.57	534.08	675.28	821.08	976.08	465.02	581.66	704.44
TXS 1314J-1000	779		748.78	697.66	893.92	1095.14	1309.55	573.96	725.69	882.38	1048.96	499.74	625.09	757.03
TXS 1314K-1100	830		798.44	743.92	953.20	1167.76	1396.39	612.02	773.82	940.89	1118.52	532.88	666.54	807.23
TXS 1316G-900	656		630.56	587.50	752.78	922.22	1102.78	483.33	611.11	743.06	883.33	420.83	526.39	637.50
TXS 1316H-950	721		693.61	646.25	828.06	1014.44	1213.06	531.67	672.22	817.36	971.67	462.92	579.03	701.25
TXS 1316I-1000	779		748.78	697.66	893.92	1095.14	1309.55	573.96	725.69	882.38	1048.96	499.74	625.09	757.03
TXS 1316J-1100	830		797.65	743.19	952.26	1166.61	1395.01	611.42	773.06	939.97	1117.42	532.35	665.88	806.44
TXS 1316K-1250	889		854.40	796.06	1020.01	1249.61	1494.26	654.92	828.06	1006.84	1196.92	570.23	713.26	863.81

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)											
		HWT	38.0	36.0	37.0	38.0	39.0	34.0	35.0	36.0	37.0	35.0	36.0	37.0
		CWT	33.0	30.0	31.0	32.0	33.0	31.0	32.0	33.0	34.0	31.0	32.0	33.0
		WBT	27.0	27.0	27.0	27.0	27.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
TXS 0912C-350	260		297.74	150.24	186.57	223.99	263.07	244.35	312.60	384.14	458.99	201.43	254.26	240.50
TXS 0912D-400	296		339.06	171.10	212.46	255.08	299.58	278.27	355.99	437.46	522.70	229.39	289.55	273.88
TXS 0912E-450	330		378.51	191.01	237.18	284.76	334.43	310.65	397.40	488.36	583.51	256.07	323.24	305.75
TXS 0912F-500	355		406.69	205.22	254.84	305.96	359.33	333.77	426.99	524.71	626.95	275.14	347.30	328.51
TXS 1110D-450	334		383.21	193.38	240.13	288.29	338.58	314.50	402.33	494.42	590.75	259.25	327.25	309.54
TXS 1110E-500	372		426.41	215.18	267.20	320.80	376.76	349.96	447.69	550.16	657.35	288.48	364.15	344.44
TXS 1110G-550	425		486.52	245.51	304.86	366.02	429.87	399.29	510.81	627.72	750.02	329.15	415.48	393.00
TXS 1110H-650	471		540.06	272.53	338.41	406.29	477.17	443.23	567.01	696.79	832.55	365.36	461.20	436.24
TXS 1112E-550	411		470.56	237.45	294.86	354.01	415.76	386.19	494.04	607.11	725.41	318.34	401.84	380.10
TXS 1112F-600	443		507.19	255.94	317.81	381.56	448.13	416.25	532.50	654.38	781.88	343.13	433.13	409.69
TXS 1112G-650	469		537.24	271.10	336.65	404.17	474.68	440.92	564.06	693.15	828.21	363.46	458.79	433.97
TXS 1112H-700	520		596.41	300.96	373.72	448.69	526.96	489.48	626.18	769.50	919.43	403.49	509.32	481.76
TXS 1112I-750	559		640.56	323.24	401.39	481.90	565.97	525.71	672.53	826.45	987.48	433.35	547.02	517.42
TXS 1114E-600	445		510.01	257.36	319.58	383.68	450.61	418.56	535.46	658.01	786.22	345.03	435.53	411.96
TXS 1114F-650	479		548.51	276.79	343.71	412.65	484.64	450.17	575.89	707.69	845.58	371.08	468.42	443.07
TXS 1114H-750	574		657.47	331.77	411.98	494.62	580.90	539.58	690.28	848.26	1013.54	444.79	561.46	531.08
TXS 1114I-800	615		704.43	355.47	441.41	529.95	622.40	578.13	739.58	908.85	1085.94	476.56	601.56	569.01
TXS 1210D-500	358		410.45	207.12	257.19	308.78	362.65	336.85	430.93	529.56	632.74	277.68	350.51	331.54
TXS 1210E-550	398		456.47	230.34	286.03	343.41	403.31	374.63	479.25	588.94	703.69	308.81	389.81	368.72
TXS 1210G-600	454		520.34	262.57	326.05	391.45	459.74	427.04	546.31	671.34	802.15	352.02	444.35	420.31
TXS 1210H-650	504		577.63	291.48	361.95	434.56	510.36	474.06	606.46	745.26	890.47	390.78	493.28	466.59
TXS 1210I-700	541		619.90	312.81	388.44	466.35	547.71	508.75	650.83	799.79	955.63	419.38	529.38	500.73
TXS 1212E-600	445		510.01	257.36	319.58	383.68	450.61	418.56	535.46	658.01	786.22	345.03	435.53	411.96
TXS 1212F-650	478		547.57	276.32	343.12	411.95	483.81	449.40	574.90	706.48	844.14	370.45	467.61	442.31
TXS 1212H-750	564		646.19	326.08	404.92	486.14	570.94	530.33	678.44	833.72	996.17	437.17	551.83	521.97
TXS 1212I-800	607		695.03	350.73	435.52	522.88	614.10	570.42	729.72	896.74	1071.46	470.21	593.54	561.42
TXS 1212J-850	648		742.00	374.43	464.95	558.21	655.59	608.96	779.03	957.33	1143.85	501.98	633.65	599.36
TXS 1312E-650	492		563.54	284.38	353.13	423.96	497.92	462.50	591.67	727.08	868.75	381.25	481.25	455.21
TXS 1312F-700	525		601.11	303.33	376.67	452.22	531.11	493.33	631.11	775.56	926.67	406.67	513.33	485.56
TXS 1312G-750	557		638.68	322.29	400.21	480.49	564.31	524.17	670.56	824.03	984.58	432.08	545.42	515.90
TXS 1312H-800	619		709.12	357.84	444.35	533.48	626.55	581.98	744.51	914.91	1093.18	479.74	605.57	572.80
TXS 1312I-850	665		761.72	384.38	477.31	573.05	673.02	625.15	799.74	982.77	1174.26	515.32	650.49	615.29
TXS 1312J-900	710		813.38	410.45	509.68	611.91	718.66	667.54	853.97	1049.42	1253.90	550.27	694.60	657.02
TXS 1314F-750	574		657.47	331.77	411.98	494.62	580.90	539.58	690.28	848.26	1013.54	444.79	561.46	531.08
TXS 1314G-800	607		695.03	350.73	435.52	522.88	614.10	570.42	729.72	896.74	1071.46	470.21	593.54	561.42
TXS 1314H-850	675		772.99	390.07	484.37	581.53	682.98	634.40	811.57	997.32	1191.64	522.95	660.11	624.39
TXS 1314I-950	725		830.28	418.98	520.27	624.63	733.60	681.42	871.72	1071.24	1279.96	561.71	709.04	670.67
TXS 1314J-1000	779		892.27	450.26	559.11	671.27	788.37	732.29	936.81	1151.22	1375.52	603.65	761.98	720.75
TXS 1314K-1100	830		951.45	480.12	596.19	715.78	840.65	780.85	998.93	1227.56	1466.74	643.68	812.51	768.54
TXS 1316G-900	656		751.39	379.17	470.83	565.28	663.89	616.67	788.89	969.44	1158.33	508.33	641.67	606.94
TXS 1316H-950	721		826.53	417.08	517.92	621.81	730.28	678.33	867.78	1066.39	1274.17	559.17	705.83	667.64
TXS 1316I-1000	779		892.27	450.26	559.11	671.27	788.37	732.29	936.81	1151.22	1375.52	603.65	761.98	720.75
TXS 1316J-1100	830		950.51	479.65	595.60	715.08	839.82	780.08	997.94	1226.35	1465.29	643.04	811.71	767.78
TXS 1316K-1250	889		1018.13	513.77	637.98	765.95	899.57	835.58	1068.94	1313.60	1569.54	688.79	869.46	822.41

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)												
			HWT	38.0	36.0	37.0	38.0	39.0	37.0	38.0	39.0	40.0	39.0	38.0	37.0
			CWT	34.0	31.0	32.0	33.0	34.0	31.0	32.0	33.0	34.0	34.0	33.0	32.0
			WBT	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	29.0	29.0	29.0
TXS 0912C-350	260		219.04	175.01	219.04	265.27	312.60	157.95	179.41	235.55	276.27	278.48	230.60	184.37	
TXS 0912D-400	296		249.44	199.30	249.44	302.09	355.99	179.87	204.32	268.24	314.62	317.13	262.60	209.96	
TXS 0912E-450	330		278.46	222.49	278.46	337.23	397.40	200.80	228.09	299.45	351.23	354.02	293.15	234.38	
TXS 0912F-500	355		299.19	239.05	299.19	362.34	426.99	215.75	245.07	321.74	377.37	380.38	314.98	251.83	
TXS 1110D-450	334		281.92	225.25	281.92	341.42	402.33	203.29	230.92	303.17	355.58	358.42	296.79	237.29	
TXS 1110E-500	372		313.70	250.65	313.70	379.91	447.69	226.21	256.95	337.35	395.67	398.83	330.25	264.05	
TXS 1110G-550	425		357.92	285.98	357.92	433.47	510.81	258.10	293.17	384.90	451.45	455.05	376.81	301.27	
TXS 1110H-650	471		397.31	317.45	397.31	481.16	567.01	286.50	325.43	427.26	501.13	505.12	418.27	334.42	
TXS 1112E-550	411		346.18	276.59	346.18	419.24	494.04	249.63	283.55	372.27	436.64	440.11	364.44	291.38	
TXS 1112F-600	443		373.13	298.13	373.13	451.88	532.50	269.06	305.63	401.25	470.63	474.38	392.81	314.06	
TXS 1112G-650	469		395.24	315.79	395.24	478.65	564.06	285.01	323.74	425.03	498.51	502.49	416.09	332.67	
TXS 1112H-700	520		438.77	350.57	438.77	531.37	626.18	316.40	359.39	471.84	553.42	557.83	461.92	369.31	
TXS 1112I-750	559		471.24	376.52	471.24	570.70	672.53	339.82	385.99	506.76	594.38	599.12	496.11	396.65	
TXS 1114E-600	445		375.20	299.78	375.20	454.39	535.46	270.56	307.32	403.48	473.24	477.01	394.99	315.81	
TXS 1114F-650	479		403.53	322.42	403.53	488.69	575.89	290.99	330.53	433.94	508.97	513.03	424.82	339.65	
TXS 1114H-750	574		483.68	386.46	483.68	585.76	690.28	348.78	396.18	520.14	610.07	614.93	509.20	407.12	
TXS 1114I-800	615		518.23	414.06	518.23	627.60	739.58	373.70	424.48	557.29	653.65	658.85	545.57	436.20	
TXS 1210D-500	358		301.95	241.26	301.95	365.68	430.93	217.74	247.33	324.72	380.86	383.89	317.89	254.16	
TXS 1210E-550	398		335.81	268.31	335.81	406.69	479.25	242.16	275.06	361.13	423.56	426.94	353.53	282.66	
TXS 1210G-600	454		382.80	305.85	382.80	463.59	546.31	276.04	313.55	411.65	482.83	486.67	403.00	322.20	
TXS 1210H-650	504		424.95	339.53	424.95	514.64	606.46	306.43	348.07	456.98	535.99	540.26	447.37	357.68	
TXS 1210I-700	541		456.04	364.38	456.04	552.29	650.83	328.85	373.54	490.42	575.21	579.79	480.10	383.85	
TXS 1212E-600	445		375.20	299.78	375.20	454.39	535.46	270.56	307.32	403.48	473.24	477.01	394.99	315.81	
TXS 1212F-650	478		402.84	321.86	402.84	487.86	574.90	290.49	329.96	433.20	508.10	512.15	424.09	339.07	
TXS 1212H-750	564		475.39	379.83	475.39	575.72	678.44	342.81	389.39	511.22	599.61	604.39	500.47	400.14	
TXS 1212I-800	607		511.32	408.54	511.32	619.24	729.72	368.72	418.82	549.86	644.93	650.07	538.30	430.38	
TXS 1212J-850	648		545.87	436.15	545.87	661.08	779.03	393.63	447.12	587.01	688.51	693.99	574.67	459.46	
TXS 1312E-650	492		414.58	331.25	414.58	502.08	591.67	298.96	339.58	445.83	522.92	527.08	436.46	348.96	
TXS 1312F-700	525		442.22	353.33	442.22	535.56	631.11	318.89	362.22	475.56	557.78	562.22	465.56	372.22	
TXS 1312G-750	557		469.86	375.42	469.86	569.03	670.56	338.82	384.86	505.28	592.64	597.36	494.65	395.49	
TXS 1312H-800	619		521.68	416.82	521.68	631.79	744.51	376.19	427.31	561.01	658.00	663.25	549.21	439.11	
TXS 1312I-850	665		560.38	447.74	560.38	678.65	799.74	404.09	459.00	602.62	706.81	712.44	589.95	471.68	
TXS 1312J-900	710		598.38	478.10	598.38	724.67	853.97	431.50	490.13	643.49	754.74	760.76	629.95	503.66	
TXS 1314F-750	574		483.68	386.46	483.68	585.76	690.28	348.78	396.18	520.14	610.07	614.93	509.20	407.12	
TXS 1314G-800	607		511.32	408.54	511.32	619.24	729.72	368.72	418.82	549.86	644.93	650.07	538.30	430.38	
TXS 1314H-850	675		568.67	454.36	568.67	688.69	811.57	410.07	465.80	611.53	717.27	722.98	598.68	478.65	
TXS 1314I-950	725		610.82	488.04	610.82	739.74	871.72	440.47	500.32	656.86	770.43	776.57	643.05	514.13	
TXS 1314J-1000	779		656.42	524.48	656.42	794.97	936.81	473.35	537.67	705.90	827.95	834.55	691.06	552.52	
TXS 1314K-1100	830		699.95	559.26	699.95	847.68	998.93	504.74	573.33	752.72	882.86	889.89	736.89	589.16	
TXS 1316G-900	656		552.78	441.67	552.78	669.44	788.89	398.61	452.78	594.44	697.22	702.78	581.94	465.28	
TXS 1316H-950	721		608.06	485.83	608.06	736.39	867.78	438.47	498.06	653.89	766.94	773.06	640.14	511.81	
TXS 1316I-1000	779		656.42	524.48	656.42	794.97	936.81	473.35	537.67	705.90	827.95	834.55	691.06	552.52	
TXS 1316J-1100	830		699.26	558.71	699.26	846.85	997.94	504.24	572.76	751.97	881.99	889.01	736.16	588.58	
TXS 1316K-1250	889		749.01	598.46	749.01	907.10	1068.94	540.12	613.51	805.47	944.74	952.26	788.53	630.45	

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature

TX.EE SELECTION TABLE

Model	Nominal Tonnage	Temp.	Water flow rate at indicated HWT, CWT & WBT (m3/hr)											
		HWT	37.0	38.0	39.0	38.0	39.0	40.0	39.0	40.0	41.0			
		CWT	33.0	33.0	33.0	34.0	34.0	34.0	35.0	35.0	35.0			
		WBT	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0			
TXS 0912C-350	260		222.34	193.72	174.46	281.23	242.15	216.84	342.32	293.34	260.31			
TXS 0912D-400	296		253.20	220.61	198.68	320.26	275.76	246.93	389.83	334.05	296.45			
TXS 0912E-450	330		282.66	246.28	221.79	357.52	307.85	275.66	435.18	372.91	330.94			
TXS 0912F-500	355		303.70	264.61	238.30	384.14	330.76	296.18	467.58	400.68	355.57			
TXS 1110D-450	334		286.17	249.33	224.54	361.96	311.67	279.08	440.58	377.54	335.04			
TXS 1110E-500	372		318.43	277.44	249.86	402.77	346.81	310.55	490.26	420.11	372.82			
TXS 1110G-550	425		363.32	316.56	285.08	459.55	395.69	354.33	559.37	479.33	425.37			
TXS 1110H-650	471		403.30	351.39	316.45	510.11	439.24	393.32	620.92	532.07	472.18			
TXS 1112E-550	411		351.40	306.17	275.72	444.46	382.71	342.70	541.01	463.60	411.41			
TXS 1112F-600	443		378.75	330.00	297.19	479.06	412.50	369.38	583.13	499.69	443.44			
TXS 1112G-650	469		401.19	349.56	314.80	507.45	436.94	391.26	617.68	529.30	469.72			
TXS 1112H-700	520		445.38	388.06	349.47	563.34	485.07	434.36	685.71	587.60	521.45			
TXS 1112I-750	559		478.35	416.78	375.34	605.04	520.97	466.51	736.47	631.09	560.05			
TXS 1114E-600	445		380.85	331.83	298.84	481.72	414.79	371.43	586.36	502.46	445.90			
TXS 1114F-650	479		409.61	356.89	321.40	518.10	446.11	399.47	630.64	540.40	479.57			
TXS 1114H-750	574		490.97	427.78	385.24	621.01	534.72	478.82	755.90	647.74	574.83			
TXS 1114I-800	615		526.04	458.33	412.76	665.36	572.92	513.02	809.90	694.01	615.89			
TXS 1210D-500	358		306.51	267.06	240.50	387.69	333.82	298.92	471.90	404.38	358.86			
TXS 1210E-550	398		340.88	297.00	267.47	431.16	371.25	332.44	524.81	449.72	399.09			
TXS 1210G-600	454		388.57	338.56	304.89	491.48	423.19	378.95	598.24	512.64	454.93			
TXS 1210H-650	504		431.35	375.83	338.46	545.60	469.79	420.68	664.11	569.09	505.03			
TXS 1210I-700	541		462.92	403.33	363.23	585.52	504.17	451.46	712.71	610.73	541.98			
TXS 1212E-600	445		380.85	331.83	298.84	481.72	414.79	371.43	586.36	502.46	445.90			
TXS 1212F-650	478		408.91	356.28	320.85	517.21	445.35	398.79	629.56	539.48	478.75			
TXS 1212H-750	564		482.56	420.44	378.64	610.36	525.56	470.61	742.94	636.64	564.97			
TXS 1212I-800	607		519.03	452.22	407.26	656.49	565.28	506.18	799.10	684.76	607.67			
TXS 1212J-850	648		554.10	482.78	434.77	700.85	603.47	540.38	853.09	731.02	648.73			
TXS 1312E-650	492		420.83	366.67	330.21	532.29	458.33	410.42	647.92	555.21	492.71			
TXS 1312F-700	525		448.89	391.11	352.22	567.78	488.89	437.78	691.11	592.22	525.56			
TXS 1312G-750	557		476.94	415.56	374.24	603.26	519.44	465.14	734.31	629.24	558.40			
TXS 1312H-800	619		529.55	461.39	415.51	669.80	576.74	516.44	815.30	698.64	619.99			
TXS 1312I-850	665		568.83	495.61	446.33	719.48	619.51	554.75	875.77	750.46	665.98			
TXS 1312J-900	710		607.40	529.22	476.60	768.27	661.53	592.37	935.16	801.35	711.14			
TXS 1314F-750	574		490.97	427.78	385.24	621.01	534.72	478.82	755.90	647.74	574.83			
TXS 1314G-800	607		519.03	452.22	407.26	656.49	565.28	506.18	799.10	684.76	607.67			
TXS 1314H-850	675		577.24	502.94	452.94	730.13	628.68	562.95	888.73	761.56	675.83			
TXS 1314I-950	725		620.03	540.22	486.51	784.24	675.28	604.68	954.60	818.01	725.92			
TXS 1314J-1000	779		666.32	580.56	522.83	842.80	725.69	649.83	1025.87	879.08	780.12			
TXS 1314K-1100	830		710.51	619.06	557.50	898.69	773.82	692.92	1093.90	937.38	831.86			
TXS 1316G-900	656		561.11	488.89	440.28	709.72	611.11	547.22	863.89	740.28	656.94			
TXS 1316H-950	721		617.22	537.78	484.31	780.69	672.22	601.94	950.28	814.31	722.64			
TXS 1316I-1000	779		666.32	580.56	522.83	842.80	725.69	649.83	1025.87	879.08	780.12			
TXS 1316J-1100	830		709.81	618.44	556.95	897.80	773.06	692.24	1092.82	936.45	831.03			
TXS 1316K-1250	889		760.31	662.44	596.58	961.67	828.06	741.49	1170.57	1003.08	890.16			

Notes: 1. One nominal tonnage represents a 3GPM (0.684 m3/hr) of water from a 95°F (35°C) to 85°F (29.4°C) at a 78°F (25.6°C) entering wet-bulb temperature